

SureColor SC-T5200

DATASHEET



The SureColor SC-T5200 maximises performance in busy graphics, CAD and GIS production environments. Powerful image processing and a fast print speed meet the market's need for maximum productivity and flexibility. Epson's PrecisionCore TFP printheads do not need replacing and, together with UltraChrome XD ink, deliver the highest level of performance, value and versatile media support.

Ideal for graphics, CAD and GIS

The SureColor SC-T5200 is one of the SureColor SC-T series of high-speed, four-colour large-format printers, designed to produce a wide range of high-quality graphics, CAD and GIS applications in design, commercial print, copy shop, architecture, building, engineering, retail and education environments.

Highly productive

To maximise productivity, the SureColor SC-T5200 features 1GB of RAM for ultra-fast image processing, and an optional 320GB HDD for job caching and recall. Optional PostScript support with dual 1.6GHz CPUs enables printing of large data-rich files quickly and directly from leading design and CAD programs. And the SureColor SC-T5200 is fast — outputting an A1 print takes just 28 seconds.

High quality output

The combination of Epson's PrecisionCore TFP printheads and UltraChrome XD pigment ink delivers industry-leading output quality and precise, repeatable performance. UltraChrome XD pigment ink is smudge and water resistant and delivers deep blacks and crisp, dense lines — ideal for technical graphics — and the vibrant colours necessary for high-quality prints and posters, on coated and non-coated media — including board up to 1.5mm thick.

Compact, quiet and easy to use

With its sleek styling, compact footprint, low noise levels and front operation, the SureColor SC-T5200 is designed to fit easily into an office environment.

KEY FEATURES

- **Fast processing**
High-speed printing of Graphics, CAD and GIS applications
- **Large-capacity ink cartridges**
A choice of 110, 350 and 700 ml sizes mean a low TCO
- **PrecisionCore TFP printhead**
Permanent printheads for duration of printer lifetime
- **UltraChrome XD inks**
Produce quality, vibrant, smudge- and water-resistant images
- **PostScript support with 2x1.6GHz CPUs**
Print multiple formats, including data-rich files, quickly and directly

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ TFP print head
Ink Technology	Ultrachrome® XD aqueous pigment ink
PRINT	
Colours	Photo Black, Matte Black, Cyan, Yellow, Magenta
Minimum Droplet Size	3.5 pl, With Variable-Sized Droplet Technology
Nozzle Configuration	720 Nozzles black, 720 Nozzles per colour
PAPER / MEDIA HANDLING	
Paper Formats	A0, A1, A2, A3+, A3, A4, B2, B3, B4, 17" (43.2 cm), 24" (61.0 cm), 36" (91.4 cm)
Print Margins Sheet Media	Mode 1: 3 mm (top), 3 mm (right), 14 mm (bottom), 3 mm (left)
Compatible Paper Thickness	0.08 mm - 1.5 mm
Borderless printing on	254 mm, 300 mm, 329 mm, 406 mm, 432 mm, 515 mm, 594 mm, 610 mm, 728 mm, 841 mm, 914 mm
Duplex	Manual
GENERAL	
Energy Use	60 W, 3 W (standby), 0.5 W (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1,405 x 813 x 1,128 mm (Width x Depth x Height)
Product weight	84 kg
Sound Power	Operation: 6.8 B (A)
Noise Level	Operation: 50 dB (A)
OTHER FEATURES	
Memory	Printer: 1 GB
Emulations	HP-GL2, RTL, Adobe® Postscript 3® (optional), ESC/P-R
Features	Direct scan-to-print without PC
OTHER	
Compatible Operating Systems	Linux, Mac OS 10.5.8 or later, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows XP, Windows XP x64
Interfaces	Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), USB 2.0 Type B, Hi-Speed USB - compatible with USB 2.0 specification
Media Handling	Auto cutter, Borderless print, Roll Paper, Thick Media Support
PRINT FEATURES	
Printing Resolution	2,880 x 1,440 dpi
OTHER	
Warranty	12 months On site service Optional warranty extension available

LOGISTICS INFORMATION

SKU	C11CD67301A0
EAN code	8715946542188
Multiple Order Quantity	1 Units
Country of Origin	China



For more information please contact:

Telephone: 01952 607111 (UK)+
01 436 7742 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Chat: etalk.epson-europe.com
Fax: 0871 222 6740
+ Local call rate.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

SureColor SC-T5200

WHAT'S IN THE BOX

- Main unit
- Setup guide
- User manual (CD)
- Driver and utilities (CD)
- Power cable
- Individual Ink Cartridges

SUPPLIES

- Auto Cutter Spare Blade S902007 (C13S902007)
- Singlepack UltraChrome XD Photo Black T692100 (110ml) (C13T692100)
- Singlepack UltraChrome XD Cyan T692200 (110ml) (C13T692200)
- Singlepack UltraChrome XD Magenta T692300 (110ml) (C13T692300)
- Singlepack UltraChrome XD Yellow T692400 (110ml) (C13T692400)
- Singlepack UltraChrome XD Matte Black T692500 (110ml) (C13T692500)
- Singlepack UltraChrome XD Photo Black T693100 (350ml) (C13T693100)
- Singlepack UltraChrome XD Cyan T693200 (350ml) (C13T693200)
- Singlepack UltraChrome XD Magenta T693300 (350ml) (C13T693300)
- Singlepack UltraChrome XD Yellow T693400 (350ml) (C13T693400)
- Singlepack UltraChrome XD Matte Black T693500 (350ml) (C13T693500)
- Singlepack UltraChrome XD Photo Black T694100 (700ml) (C13T694100)
- Singlepack UltraChrome XD Cyan T694200 (700ml) (C13T694200)
- Singlepack UltraChrome XD Magenta T694300 (700ml) (C13T694300)
- Singlepack UltraChrome XD Yellow T694400 (700ml) (C13T694400)
- Singlepack UltraChrome XD Matte Black T694500 (700ml) (C13T694500)
- Maintenance Box T619300 (C13T619300)
- Archival Matte Paper (C13S041340)
- Archival Matte Paper, DIN A3, 192g/m{2}, 50 Sheets (C13S041344)
- Archival Matte Paper, DIN A4, 192g/m{2}, 50 Sheets (C13S041342)
- Bond Paper Bright 90, 594mm x 50m (C13S045277)
- Bond Paper Bright 90, 610mm x 50m (C13S045278)
- Bond Paper Satin 90, 610mm x 50m (C13S045282)
- Bond Paper White 80, 594mm x 50m (C13S045272)
- Bond Paper White 80, 610mm x 50m (C13S045273)
- Coated Paper 95, 610mm x 45m (C13S045284)
- Doubleweight Matte Paper Roll, 24" x 25 m, 180g/m{2} (C13S041385)
- Enhanced Adhesive Synthetic Paper Roll, 24" x 30,5 m, 135g/m{2} (C13S041617)
- Enhanced Matte Paper Roll, 17" x 30,5 m, 189g/m{2} (C13S041725)

EPSON®

SureColor SC-T5200D MFP PS

DATASHEET



The SureColor SC-T5200DMFP maximises performance in busy graphics, CAD and GIS production environments. The double paper rolls, fast print speed and integrated 36-inch scanner meet the market's need for maximum productivity. Epson's PrecisionCore TFP printheads do not need replacing and, together with UltraChrome XD ink, deliver the highest level of performance and value.

Ideal for graphics, CAD and GIS

This high-speed, four-colour, large-format printer is designed to produce a wide range of high-quality graphics, CAD and GIS applications in design, commercial print, copy shop, architecture, building, engineering, retail and education environments.

Highly productive

Double rolls with auto paper loading and auto switching between media couple maximum productivity with flexibility. The versatile integrated 36-inch colour scanner lets you digitise large-format copies (from tracing paper to 1.3mm board) and scan-to-file, scan-to-email or scan-to-share with other SC-T printers. An A1 original can be scanned and printed in about 39 seconds.

Fast

It features 1GB of RAM for ultra-fast image processing, and an optional 320GB HDD for job caching and recall. Optional PostScript support with dual 1.6GHz CPUs enables printing of large data-rich files quickly and directly from leading design and CAD programs.

High quality output

The combination of Epson's PrecisionCore TFP printheads and UltraChrome XD pigment ink delivers industry-leading output quality and precise, repeatable performance. UltraChrome XD pigment ink is smudge and water resistant and delivers deep blacks and crisp, dense lines — ideal for technical graphics — and the vibrant colours necessary for high-quality prints and posters, on coated and non-coated media — including board up to 1.5mm thick.

KEY FEATURES

- **Double paper rolls**
Auto media loading and switching maximises productivity and flexibility
- **Integrated 36-inch scanner**
Digitise hand-drawn, hand-annotated and hard-copy images
- **PrecisionCore TFP printhead**
Permanent printheads for duration of printer lifetime
- **UltraChrome XD inks**
Produce quality, vibrant, smudge- and water-resistant images
- **PostScript support with 2x1.6GHz CPUs**
Print multiple formats, including data-rich files, quickly and directly

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ TFP print head
All-in-One Functions	Print, Scan, Copy
Ink Technology	Ultrachrome® XD aqueous pigment ink
PRINT	
Colours	Magenta, Yellow, Cyan, Matte Black, Photo Black
Minimum Droplet Size	3.5 pl, With Variable-Sized Droplet Technology
Nozzle Configuration	720 Nozzles black, 720 Nozzles per colour
PAPER / MEDIA HANDLING	
Paper Formats	A0, A1, A2, A2+, A3+, A3, A4, B2, B3, B4, 17" (43.2 cm), 24" (61.0 cm), 36" (91.4 cm)
Print Margins Sheet Media	Mode 1: 3 mm (top), 3 mm (right), 14 mm (bottom), 3 mm (left)
Compatible Paper Thickness	0.08 mm - 1.5 mm
Duplex	Manual
Borderless printing on	254 mm, 300 mm, 329 mm, 406 mm, 432 mm, 515 mm, 594 mm, 610 mm, 728 mm, 841 mm, 914 mm
GENERAL	
Energy Use	61 W, 3 W (standby), 0.5 W (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1,539 x 1,074 x 1,647 mm (Width x Depth x Height)
Product weight	171 kg
Sound Power	Operation: 6.8 B (A)
Noise Level	Operation: 50 dB (A)
OTHER FEATURES	
Memory	Printer: 1 GB
Emulations	RTL, HP-GL2, Adobe® Postscript 3®, ESC/P-R
Features	Direct scan-to-print without PC
OTHER	
Compatible Operating Systems	Linux, Mac OS 10.5.8 or later, Microsoft Windows Vista (32/64 bit), Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2
Interfaces	Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), USB - compatible with USB 2.0 specification
Media Handling	Auto cutter, Borderless print, Roll Paper, Thick Media Support
PRINT FEATURES	
Printing Resolution	2,880 x 1,440 dpi
LCD AND MEMORY CARDS	
LCD screen	Type: Color, Diagonal: 6.8 cm

LOGISTICS INFORMATION

SKU	C11CD40301A1
EAN code	8715946544076
Multiple Order Quantity	1 Units
Country of Origin	China

SureColor SC-T5200D MFP PS

WHAT'S IN THE BOX

- Warranty document
- User manual (CD)
- Setup guide
- Main unit
- Individual Ink Cartridges
- Driver and utilities (CD)

SUPPLIES

- Auto Cutter Spare Blade S902007 (C13S902007)
- Maintenance Box T619300 (C13T619300)
- Singlepack UltraChrome XD Photo Black T692100 (110ml) (C13T692100)
- Singlepack UltraChrome XD Cyan T692200 (110ml) (C13T692200)
- Singlepack UltraChrome XD Magenta T692300 (110ml) (C13T692300)
- Singlepack UltraChrome XD Yellow T692400 (110ml) (C13T692400)
- Singlepack UltraChrome XD Matte Black T692500 (110ml) (C13T692500)
- Singlepack UltraChrome XD Photo Black T693100 (350ml) (C13T693100)
- Singlepack UltraChrome XD Cyan T693200 (350ml) (C13T693200)
- Singlepack UltraChrome XD Magenta T693300 (350ml) (C13T693300)
- Singlepack UltraChrome XD Yellow T693400 (350ml) (C13T693400)
- Singlepack UltraChrome XD Matte Black T693500 (350ml) (C13T693500)
- Singlepack UltraChrome XD Photo Black T694100 (700ml) (C13T694100)
- Singlepack UltraChrome XD Cyan T694200 (700ml) (C13T694200)
- Singlepack UltraChrome XD Magenta T694300 (700ml) (C13T694300)
- Singlepack UltraChrome XD Yellow T694400 (700ml) (C13T694400)
- Singlepack UltraChrome XD Matte Black T694500 (700ml) (C13T694500)



For more information please contact:

Telephone: 01952 607111 (UK)+
01 436 7742 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Chat: etalk.epson-europe.com
Fax: 0871 222 6740
+ Local call rate.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

EPSON®

SureColor SC-T5200D-PS

DATASHEET



The SureColor SC-T5200D maximises performance in busy graphics, CAD and GIS production environments. The double paper rolls and fast print speed meet the market's need for maximum productivity and flexibility. Epson's PrecisionCore TFP printheads do not need replacing and, together with UltraChrome XD ink, deliver the highest level of performance, value and versatile media support.

Ideal for graphics, CAD and GIS

The SureColor SC-T5200D is one of the SureColor SC-T series of high-speed, four-colour large-format printers, designed to produce a wide range of high-quality display graphics, CAD and GIS applications in design, commercial print, copy shop, architecture, building, engineering, retail and education environments.

Highly productive

To maximise productivity and flexibility, the SC-T5200D features double rolls with auto paper loading and auto switching between media, and high-speed printing — outputting an A1 print takes just 28 seconds.

Fast

The SureColor SC-T5200D features 1GB of RAM for ultra-fast image processing, and an optional 320GB HDD for job caching and recall. Optional PostScript support with dual 1.6GHz CPUs enables printing of large data-rich files quickly and directly from leading design and CAD programs.

High quality output

The combination of Epson's PrecisionCore TFP printheads and UltraChrome XD pigment ink delivers industry-leading output quality and precise, repeatable performance. UltraChrome XD pigment ink is smudge and water resistant and delivers deep blacks and crisp, dense lines — ideal for technical graphics — and the vibrant colours necessary for high-quality prints and posters, on coated and non-coated media — including board up to 1.5mm thick.

KEY FEATURES

- **Double rolls**
Auto media loading and switching maximises productivity and flexibility
- **Fast processing**
High-speed printing of Graphics, CAD and GIS applications
- **PrecisionCore TFP printhead**
Permanent printheads for duration of printer lifetime
- **UltraChrome XD inks**
Produce quality, vibrant, smudge- and water-resistant images
- **PostScript support with 2x1.6GHz CPUs**
Print multiple formats, including data-rich files, quickly and directly

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ TFP print head
Ink Technology	Ultrachrome® XD aqueous pigment ink
PRINT	
Colours	Photo Black, Matte Black, Cyan, Yellow, Magenta
Minimum Droplet Size	3.5 pl, With Variable-Sized Droplet Technology
Nozzle Configuration	720 Nozzles black, 720 Nozzles per colour
PAPER / MEDIA HANDLING	
Paper Formats	A0, A1, A2, A3+, A3, A4, B2, B3, B4, 17 " (43.2 cm), 24 " (61.0 cm), 36 " (91.4 cm)
Compatible Paper Thickness	0.08 mm - 1.5 mm
Duplex	Manual
Borderless printing on	254 mm, 300 mm, 329 mm, 406 mm, 432 mm, 515 mm, 594 mm, 610 mm, 728 mm, 841 mm, 914 mm
Print Margins Sheet Media	Mode 1: 3 mm (top), 3 mm (right), 14 mm (bottom), 3 mm (left)
GENERAL	
Energy Use	61 W, 3 W (standby), 0.5 W (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1,405 x 1,126 x 1,128 mm (Width x Depth x Height)
Product weight	118 kg
Sound Power	Operation: 6.8 B (A)
Noise Level	Operation: 50 dB (A)
OTHER FEATURES	
Memory	Printer: 1 GB
Emulations	HP-GL2, RTL, Adobe® Postscript 3®, ESC/P-R
Features	Direct scan-to-print without PC
OTHER	
Compatible Operating Systems	Linux, Mac OS 10.5.8 or later, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows XP, Windows XP x64
Interfaces	Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Hi-Speed USB - compatible with USB 2.0 specification
Media Handling	Auto cutter, Borderless print, Roll Paper, Thick Media Support
PRINT FEATURES	
Printing Resolution	2,880 x 1,440 dpi
OTHER	
Warranty	12 months On site service Optional warranty extension available

LOGISTICS INFORMATION

SKU	C11CD40301EB
EAN code	8715946543291
Multiple Order Quantity	1 Units
Country of Origin	China



For more information please contact:

Telephone: 01952 607111 (UK)+
01 436 7742 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Chat: etalk.epson-europe.com
Fax: 0871 222 6740
+ Local call rate.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

SureColor SC-T5200D-PS

WHAT'S IN THE BOX

- Main unit
- Setup guide
- User manual (CD)
- Driver and utilities (CD)
- Power cable
- Individual Ink Cartridges

SUPPLIES

- Maintenance Box T619300 (C13T619300)
- Auto Cutter Spare Blade S902007 (C13S902007)
- Singlepack UltraChrome XD CyanT692200(110ml) (C13T692200)
- Singlepack UltraChrome XD CyanT693200(350ml) (C13T693200)
- Singlepack UltraChrome XD CyanT694200(700ml) (C13T694200)
- Singlepack UltraChrome XD MagentaT692300(110ml) (C13T692300)
- Singlepack UltraChrome XD MagentaT693300(350ml) (C13T693300)
- Singlepack UltraChrome XD MagentaT694300(700ml) (C13T694300)
- Singlepack UltraChrome XD Matte BlackT692500(110ml) (C13T692500)
- Singlepack UltraChrome XD Matte BlackT693500(350ml) (C13T693500)
- Singlepack UltraChrome XD Matte BlackT694500(700ml) (C13T694500)
- Singlepack UltraChrome XD Photo Black T692100 (110ml) (C13T692100)
- Singlepack UltraChrome XD Photo BlackT693100(350ml) (C13T693100)
- Singlepack UltraChrome XD Photo BlackT694100(700ml) (C13T694100)
- Singlepack UltraChrome XD YellowT692400(110ml) (C13T692400)
- Singlepack UltraChrome XD YellowT693400(350ml) (C13T693400)
- Singlepack UltraChrome XD YellowT694400(700ml) (C13T694400)
- Archival Matte Paper (C13S041340)
- Archival Matte Paper, DIN A3, 192g/m{2}, 50 Sheets (C13S041344)
- Archival Matte Paper, DIN A4, 192g/m{2}, 50 Sheets (C13S041342)
- Bond Paper Bright 90, 594mm x 50m (C13S045277)
- Bond Paper Bright 90, 610mm x 50m (C13S045278)
- Bond Paper Satin 90, 610mm x 50m (C13S045282)
- Bond Paper White 80, 594mm x 50m (C13S045272)
- Bond Paper White 80, 610mm x 50m (C13S045273)
- Coated Paper 95, 610mm x 45m (C13S045284)
- Cold Press Bright 17"x 15m (C13S042313)
- Cold Press Bright 24"x 15m (C13S042314)
- Cold Press Bright, A3+, 25 Blatt, White Box (C13S042310WB)

EPSON®

SureColor SC-T5200-PS

DATASHEET



The SureColor SC-T5200 maximises performance in busy graphics, CAD and GIS production environments. Powerful image processing and a fast print speed meet the market's need for maximum productivity and flexibility. Epson's PrecisionCore TFP printheads do not need replacing and, together with UltraChrome XD ink, deliver the highest level of performance, value and versatile media support.

Ideal for graphics, CAD and GIS

The SureColor SC-T5200 is one of the SureColor SC-T series of high-speed, four-colour large-format printers, designed to produce a wide range of high-quality graphics, CAD and GIS applications in design, commercial print, copy shop, architecture, building, engineering, retail and education environments.

Highly productive

To maximise productivity, the SureColor SC-T5200 features 1GB of RAM for ultra-fast image processing, and an optional 320GB HDD for job caching and recall. Optional PostScript support with dual 1.6GHz CPUs enables printing of large data-rich files quickly and directly from leading design and CAD programs. And the SureColor SC-T5200 is fast — outputting an A1 print takes just 28 seconds.

High quality output

The combination of Epson's PrecisionCore TFP printheads and UltraChrome XD pigment ink delivers industry-leading output quality and precise, repeatable performance. UltraChrome XD pigment ink is smudge and water resistant and delivers deep blacks and crisp, dense lines — ideal for technical graphics — and the vibrant colours necessary for high-quality prints and posters, on coated and non-coated media — including board up to 1.5mm thick.

Compact, quiet and easy to use

With its sleek styling, compact footprint, low noise levels and front operation, the SureColor SC-T5200 is designed to fit easily into an office environment.

KEY FEATURES

- **Fast processing**
High-speed printing of Graphics, CAD and GIS applications
- **Large-capacity ink cartridges**
A choice of 110, 350 and 700 ml sizes mean a low TCO
- **PrecisionCore TFP printhead**
Permanent printheads for duration of printer lifetime
- **UltraChrome XD inks**
Produce quality, vibrant, smudge- and water-resistant images
- **PostScript support with 2x1.6GHz CPUs**
Print multiple formats, including data-rich files, quickly and directly

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ TFP print head
Ink Technology	Ultrachrome® XD aqueous pigment ink
PRINT	
Colours	Magenta, Yellow, Cyan, Matte Black, Photo Black
Minimum Droplet Size	3.5 pl, With Variable-Sized Droplet Technology
Nozzle Configuration	720 Nozzles black, 720 Nozzles per colour
PAPER / MEDIA HANDLING	
Paper Formats	A0, A1, A2, A3+, A3, A4, B2, B3, B4, 17" (43.2 cm), 24" (61.0 cm), 36" (91.4 cm)
Print Margins Sheet Media	Mode 1: 3 mm (top), 3 mm (right), 14 mm (bottom), 3 mm (left)
Compatible Paper Thickness	0.08 mm - 1.5 mm
Borderless printing on	254 mm, 300 mm, 329 mm, 406 mm, 432 mm, 515 mm, 594 mm, 610 mm, 728 mm, 841 mm, 914 mm
Duplex	Manual
GENERAL	
Energy Use	60 W, 3 W (standby), 0.5 W (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1,405 x 813 x 1,128 mm (Width x Depth x Height)
Product weight	84 kg
Sound Power	Operation: 6.8 B (A)
Noise Level	Operation: 50 dB (A)
OTHER FEATURES	
Memory	Printer: 1 GB
Emulations	Adobe® Postscript 3®, RTL, HP-GL2, ESC/P-R
Features	Direct scan-to-print without PC
OTHER	
Compatible Operating Systems	Linux, Mac OS 10.5.8 or later, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows XP, Windows XP x64
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, USB 2.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T)
Media Handling	Auto cutter, Borderless print, Roll Paper, Thick Media Support
PRINT FEATURES	
Printing Resolution	2,880 x 1,440 dpi
OTHER	
Warranty	12 months On site service Optional warranty extension available

LOGISTICS INFORMATION

SKU	C11CD67301EB
EAN code	8715946543277
Multiple Order Quantity	1 Units
Country of Origin	China



For more information please contact:

Telephone: 01952 607111 (UK)+
01 436 7742 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Chat: etalk.epson-europe.com
Fax: 0871 222 6740
+ Local call rate.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

SureColor SC-T5200-PS

WHAT'S IN THE BOX

- Individual Ink Cartridges
- Power cable
- Driver and utilities (CD)
- User manual (CD)
- Setup guide
- Main unit

SUPPLIES

- Auto Cutter Spare Blade S902007 (C13S902007)
- Maintenance Box T619300 (C13T619300)
- Singlepack UltraChrome XD CyanT692200(110ml) (C13T692200)
- Singlepack UltraChrome XD CyanT693200(350ml) (C13T693200)
- Singlepack UltraChrome XD CyanT694200(700ml) (C13T694200)
- Singlepack UltraChrome XD MagentaT692300(110ml) (C13T692300)
- Singlepack UltraChrome XD MagentaT693300(350ml) (C13T693300)
- Singlepack UltraChrome XD MagentaT694300(700ml) (C13T694300)
- Singlepack UltraChrome XD Matte BlackT692500(110ml) (C13T692500)
- Singlepack UltraChrome XD Matte BlackT693500(350ml) (C13T693500)
- Singlepack UltraChrome XD Matte BlackT694500(700ml) (C13T694500)
- Singlepack UltraChrome XD Photo Black T692100 (110ml) (C13T692100)
- Singlepack UltraChrome XD Photo BlackT693100(350ml) (C13T693100)
- Singlepack UltraChrome XD Photo BlackT694100(700ml) (C13T694100)
- Singlepack UltraChrome XD YellowT692400(110ml) (C13T692400)
- Singlepack UltraChrome XD YellowT693400(350ml) (C13T693400)
- Singlepack UltraChrome XD YellowT694400(700ml) (C13T694400)
- Archival Matte Paper (C13S041340)
- Archival Matte Paper, DIN A3, 192g/m{s2}, 50 Sheets (C13S041344)
- Archival Matte Paper, DIN A4, 192g/m{s2}, 50 Sheets (C13S041342)
- Bond Paper Bright 90, 594mm x 50m (C13S045277)
- Bond Paper Bright 90, 610mm x 50m (C13S045278)
- Bond Paper Satin 90, 610mm x 50m (C13S045282)
- Bond Paper White 80, 594mm x 50m (C13S045272)
- Bond Paper White 80, 610mm x 50m (C13S045273)
- Coated Paper 95, 610mm x 45m (C13S045284)
- Doubleweight Matte Paper Roll, 24" x 25 m, 180g/m{s2} (C13S041385)
- Enhanced Adhesive Synthetic Paper Roll, 24" x 30,5 m, 135g/m{s2} (C13S041617)
- Enhanced Matte Paper Roll, 17" x 30,5 m, 189g/m{s2} (C13S041725)

EPSON®

SureColor SC-T5200D

DATASHEET



The SureColor SC-T5200D maximises performance in busy graphics, CAD and GIS production environments. The double paper rolls and fast print speed meet the market's need for maximum productivity and flexibility. Epson's PrecisionCore TFP printheads do not need replacing and, together with UltraChrome XD ink, deliver the highest level of performance, value and versatile media support.

Ideal for graphics, CAD and GIS

The SureColor SC-T5200D is one of the SureColor SC-T series of high-speed, four-colour large-format printers, designed to produce a wide range of high-quality display graphics, CAD and GIS applications in design, commercial print, copy shop, architecture, building, engineering, retail and education environments.

Highly productive

To maximise productivity and flexibility, the SC-T5200D features double rolls with auto paper loading and auto switching between media, and high-speed printing — outputting an A1 print takes just 28 seconds.

Fast

The SureColor SC-T5200D features 1GB of RAM for ultra-fast image processing, and an optional 320GB HDD for job caching and recall. Optional PostScript support with dual 1.6GHz CPUs enables printing of large data-rich files quickly and directly from leading design and CAD programs.

High quality output

The combination of Epson's PrecisionCore TFP printheads and UltraChrome XD pigment ink delivers industry-leading output quality and precise, repeatable performance. UltraChrome XD pigment ink is smudge and water resistant and delivers deep blacks and crisp, dense lines — ideal for technical graphics — and the vibrant colours necessary for high-quality prints and posters, on coated and non-coated media — including board up to 1.5mm thick.

KEY FEATURES

- **Double rolls**
Auto media loading and switching maximises productivity and flexibility
- **Fast processing**
High-speed printing of Graphics, CAD and GIS applications
- **PrecisionCore TFP printhead**
Permanent printheads for duration of printer lifetime
- **UltraChrome XD inks**
Produce quality, vibrant, smudge- and water-resistant images
- **PostScript support with 2x1.6GHz CPUs**
Print multiple formats, including data-rich files, quickly and directly

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ TFP print head
Ink Technology	Ultrachrome® XD aqueous pigment ink

PRINT	
Colours	Magenta, Yellow, Cyan, Matte Black, Photo Black
Minimum Droplet Size	3.5 pl, With Variable-Sized Droplet Technology
Nozzle Configuration	720 Nozzles black, 720 Nozzles per colour

PAPER / MEDIA HANDLING	
Paper Formats	A0, A1, A2, A3+, A3, A4, B2, B3, B4, 17 " (43.2 cm), 24 " (61.0 cm), 36 " (91.4 cm)
Print Margins Sheet Media	Mode 1: 3 mm (top), 3 mm (right), 14 mm (bottom), 3 mm (left)
Compatible Paper Thickness	0.08 mm - 1.5 mm
Duplex	Manual
Borderless printing on	254 mm, 300 mm, 329 mm, 406 mm, 432 mm, 515 mm, 594 mm, 610 mm, 728 mm, 841 mm, 914 mm

GENERAL	
Energy Use	61 W, 3 W (standby), 0.5 W (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1,405 x 974 x 1,128 mm (Width x Depth x Height)
Product weight	118 kg
Sound Power	Operation: 6.8 B (A)
Noise Level	Operation: 50 dB (A)

OTHER FEATURES	
Memory	Printer: 1 GB
Emulations	Adobe® Postscript 3® (optional), RTL, HP-GL2, ESC/P-R
Features	Direct scan-to-print without PC

OTHER	
Compatible Operating Systems	Linux, Mac OS 10.5.8 or later, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows XP, Windows XP x64
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, USB 2.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T)
Media Handling	Auto cutter, Borderless print, Roll Paper, Thick Media Support

PRINT FEATURES	
Printing Resolution	2,880 x 1,440 dpi

OTHER	
Warranty	12 months On site service Optional warranty extension available

LOGISTICS INFORMATION

SKU	C11CD40301A0
EAN code	8715946542201
Multiple Order Quantity	1 Units
Country of Origin	China



For more information please contact:

Telephone: 01952 607111 (UK)+
01 436 7742 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Chat: etalk.epson-europe.com
Fax: 0871 222 6740
+ Local call rate.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

SureColor SC-T5200D

WHAT'S IN THE BOX

- Individual Ink Cartridges
- Power cable
- Driver and utilities (CD)
- User manual (CD)
- Setup guide
- Main unit

SUPPLIES

- Auto Cutter Spare Blade S902007 (C13S902007)
- Maintenance Box T619300 (C13T619300)
- Singlepack UltraChrome XD CyanT692200(110ml) (C13T692200)
- Singlepack UltraChrome XD CyanT693200(350ml) (C13T693200)
- Singlepack UltraChrome XD CyanT694200(700ml) (C13T694200)
- Singlepack UltraChrome XD MagentaT692300(110ml) (C13T692300)
- Singlepack UltraChrome XD MagentaT693300(350ml) (C13T693300)
- Singlepack UltraChrome XD MagentaT694300(700ml) (C13T694300)
- Singlepack UltraChrome XD Matte BlackT692500(110ml) (C13T692500)
- Singlepack UltraChrome XD Matte BlackT693500(350ml) (C13T693500)
- Singlepack UltraChrome XD Matte BlackT694500(700ml) (C13T694500)
- Singlepack UltraChrome XD Photo Black T692100 (110ml) (C13T692100)
- Singlepack UltraChrome XD Photo BlackT693100(350ml) (C13T693100)
- Singlepack UltraChrome XD Photo BlackT694100(700ml) (C13T694100)
- Singlepack UltraChrome XD YellowT692400(110ml) (C13T692400)
- Singlepack UltraChrome XD YellowT693400(350ml) (C13T693400)
- Singlepack UltraChrome XD YellowT694400(700ml) (C13T694400)
- Archival Matte Paper (C13S041340)
- Archival Matte Paper, DIN A3, 192g/m{2}, 50 Sheets (C13S041344)
- Archival Matte Paper, DIN A4, 192g/m{2}, 50 Sheets (C13S041342)
- Bond Paper Bright 90, 594mm x 50m (C13S045277)
- Bond Paper Bright 90, 610mm x 50m (C13S045278)
- Bond Paper Satin 90, 610mm x 50m (C13S045282)
- Bond Paper White 80, 594mm x 50m (C13S045272)
- Bond Paper White 80, 610mm x 50m (C13S045273)
- Coated Paper 95, 610mm x 45m (C13S045284)
- Commercial Proofing Paper Roll, 13" x 30,5 m, 250g/m{2} (C13S042144)
- Commercial Proofing Paper Roll, 17" x 30,5 m, 250g/m{2} (C13S042145)
- Commercial Proofing Paper Roll, 24" x 30,5 m, 250g/m{2} (C13S042146)

EPSON®